## Withrow & Terranova

RECEIVED CENTRAL FAX CENTER

Professional Limited Liability Company

MAY 2 3 2005

Attorneys At Law Registered Patent Attorneys

A High Technology Patent Practice

/23/2005
NO OS BACES INCLUDING COVER
4
r's reperence number: 500-040
eference number: 0/684,258

Attached please find the following document related to the above-referenced application:

1) Response to the Office Action mailed May 5, 2005 (13 pages)

NOTE: The information contained in this transmission is privileged and confidential and intended ONLY for the individual or entity named above. If you should receive this transmission in error, please notify our office and return to the below address via the U.S. Postal Service.

201 SHANNON OAKS CIRCLE, SUITE 200

CARY, NC 27511 PH: (919) 654-4520 FAX: (919) 654-4521

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Donald Reichler et al.

Examiner: Raymond, Edward

Serial No. 10/684,258 Art Unit: 2857

Filed: 10/11/2003

For: METHOD AND SYSTEM FOR DETERMINING AND MONITORING THE DISPENSING EFFICIENCY OF A FUEL DISPENSING POINT IN A SERVICE

STATION ENVIRONMENT

Mail Stop Amendment Commissioner for Patents PO Box 1450 Alexandria, VA 22313-1450

Sir:

## RESPONSE TO FIRST OFFICE ACTION MAILED ON MAY 5, 2005

Applicant herein files this response to the first Office Action issued by the United States Patent and Trademark Office (PTO) on May 5, 2005. Applicant adds new claims 43-60, but cancels claims 1-18, 37-39, and 41. Thus, no additional claims fees are required to be provided with this response.

If any fees are required in association with this response, the Director is hereby authorized to charge them to Deposit Account 50-1732, and consider this a petition therefor.